Health (1950) Department

MS Series

Gv
MS 3024, Health

Dated 29-8-50

Water Supply - Coondapur Panchayat - (South Kanara district) - Inclusion in the Compendium - Orders passed

GOVERNMENT OF MADRAS.
Education and Public Health Department.
Memorandum No.92990A/49-1 Hl P.H. dated 29th November, 1949
****

SUB: WATER SUPPLY- Coondapur Panchayat (South Kanra District)
REF: From the Chief Engineer, Public Works DepartmentL.No.5390/47-B-6 dated 21-6-49.
From the -----do----- : L.No.5390/47-B-11 dated 31-8-49
From the Collector of S.Kanara L.Dis 26858/49 dated 15-11-49

The Chief Engineer, Public Works Department is informed that as the present population of the Coondapur Panchayat in South Kanara District is stated to be 15,844 it is proposed to include the water supply scheme of the Panchyat in the compendium. He is requested to suggest a suitable rank for the Panchayat in the compendium in consultation with the ~~Superintending~~ Engineer and the Director of Public Health.

T.M.S. MANI
Additional Secretary to Government.

To
The Chief Engineer, Public Works Department.
The Director of Public Health,

Forwarded/By Order.

SK3/29.11

SUPERINTENDENT.

Rdm 5.1.50
Rdm 11.2.50

The population of the Coondapur Panchayat is stated to be 15,844/- as the population is above 10,000 the water supply scheme of the Panchyat may be included in the compendium. The Chief Engineer may be asked to suggest a suitable rank for the Panchayat in the comepndium. Subject to orders a draft memo is submitted for approval. This question will be separately dealth with in this department.

The file has been sent to this department for remarks on the suggestion that the proposed reservoir across the Dasankathahole can be utilised for supply of drinking water to the Coondapur Panchayat. Water supply schemes for Panchayats are taken up only in accordance with the priority fixed in the compendium approved by the Government. Coondapur does not find a place in the compendium. Only after its place of priority is fixed can it be siad whether it is time to take up the proposal for investigation. The Chief Engineer has stated that the proposal (for supply of water to Coondapur) will cost of Rs.10 to 12 lakhs. The scheme seems to be too costly for a population of 15,844.

Copy of the letter No. 1.Dis 26858-49 dated 15th November, 1949 from the Collector of South Kanara Distfict to the Secretary to Government Education and Public Health Department.

Sub: Water Supply- Coondapur x Panchayat- South Kanara District- report.

Ref: Government Memo No.71740-49-1-Hl-P.H. dated 15-10-49.

.....

The present population of the Coondapur Panchayat is (South Kanara District) is 15,844.

TRUE COPY.

SUPERINTENDENT.

Health (W3)

Sub: W.S - Coondalpur Panchayat South Kanara dt

Memo:- 92990A/49-2-W3 dated 7.3.50

The C.E, P.W.D

is requested to expedite his reply to Govt Memo No 92990A/49-1-H1, P.H dated 29-11-49 on the subject cited.

7.3.50

To
The C.E, P.W.D

3.50

88. 625 Edn & PH W

DEPARTMENT.

REMINDER. Public Health Branch.

To THE Chief Engineer, P.W.D
Chepauk, Madras

I ~~have the honour to invite~~ am directed to invite attention to Govt Memo No. 92990-A/49-1-WIPH dated 29-11-49 DH

to request that the reply ~~to the letter~~ may be expedited. ~~I am to request that this reminder may be returned at once~~ with information as to—

(1) the stage at which the matter now is,

(2) the date by which a reply may be expected, and

(3) the circumstances which have caused the delay.

RECEIVED 22 FEB 1950

(By order)

Office Secretariat

Station Fort St George

Signature.
(for) Dy Secretary to Govt
Designation.

Dated 14-2-50

SUBJECT,

Water supply - Coondalpen Panchayat (South Arcot Dt)
NRR

11-2-50

P.T.O.

DEPUTY SECRETARY 4731 25 MAR 1950 HEALTH DEPARTMENT

REPLY.

To The Secretary to Government,
EDUCATION AND PUBLIC HEALTH Department, Madras.

The remarks called for from the Sanitary Engineer are still awaited. On their receipt, the Government reference will be replied to.

23/3/50

For Chief Engineer for Irrigation.

SR:23/3

23/3/50

Health (W3)

The C.E may be reminded on 25-4-50 if necessary

24/3/50

25.3.50
ICDD
27.3.50

From Sri
A.R.Venkatachari,B.E.,M.I.E.(Ind),
M.Am.Soc.C.E., M.S.E.,
Chief Engineer for Irrigation,
Chepauk, M a d r a s.

To
The Secretary to Government,
Education and Public Health
Department.

DEPUTY SECRETARY
12 APL 1950
HEALTH DEPARTMENT

No.5390/47 B-15 dated 5th April 1950.

Sir,

Sub:- Water Supply - Coondapur Panchayat - South Kanara District -

Ref:- Government E & (P.H). Dept.Memo.No.92990 A/49-2 dated 7-3-50.

7338

The remarks called for from the Sanitary Engineer, on the subject are still awaited. He is being reminded to expedite them. On their receipt, a reply will be sent to the Government.

Health (W3)
N.Rm 12-5-50

trm:6-4- cd
12/4/50

14.4.50

for Chief Engineer for Irrigation
8/4/50

8/4

Health (W)

From the C.E, P.W.D, L.No 5390/47.B.
15 dated 5-4-10

Sub: Water supply - Coondapur Panchayat - South Kanara Dt - Inclusion in the Compendium

MEMO: 92990A/49-3-W3(1)10.5.10.

The C.E, P.W.D is requested to submit his final reply in the matter at an early date

17/5/10

To
The C.E, P.W.D.

17.5.10

CES
17.5.10

Health (WS)

bpcf From the C.E, P.W.D, L.No 5390/47-B-15
dated 5-4-50

5/21.6

Sub :- Water supply - Coondapur Panchayat (South Canara Dt) - Inclusion in the Compendium

MEMO :- 92990A/49-4-W3(d) 20-6-50

The C.E, P.W.D is requested to state when his final reply in the matter may be expected.

Dfk 22/6

To C.E. P.W.D

Rd- 26/7

19.6.50

CEO 19.6.50

From Sri
A.R.Venkatachari,B.E.,M.I.E.(Ind),
M.Am.Soc.C.E., I.S.E.,
Chief Engineer for Irrigation,
Chepauk, M a d r a s.

To
The Secretary to Government ,
Health Department .

DEPUTY SECRETARY
9 AUG 1950
HEALTH DEPARTMENT

Letter No. 5390/47 B - 17, dated 3rd August, 1950.

...

Sub:- Water Supply - Coondapur Panchayat (South Kanara District) - Inclusion in the Compendium .

Ref:- Govt. Memo No. 92990 A / 49-4-W 3 d/ 20.6.50.

...

The matter is under scrutiny and a reply will be sent to Government shortly

FOR CHIEF ENGINEER FOR IRRIGATION.

MTS: 5/8.

Health (W3)
N Rom 7-9-50

From Sri
A.R.Venkatachari,B.E.,M.I.E.(Ind),
M.Am.Soc.C.E., I.S.E.,
Chief Engineer for Irrigation,
Chepauk, M a d r a s.

To
The Secretary to Government,
Education & Public Health Dept.

DEPUTY SECRETARY
21 AUG 1950
HEALTH EDUCATION

No.5390/47-B-18, dated 9th August 1950.

Sir,

Sub:- Water supply - Coondapur Panchayat (South Kanara Dt.)
Inclusion in the compendium - Report.

Ref:- Government Memo. No.92990 A/49-1 H.1 P.H. dated 29-11-49.
,, ,, No.92990 A/49-3 W.3 dated 18-5-50.

With reference to the Government Memo. first cited, I have to state that the Sanitary Engineer to Government has reported that the Director of Public Health has agreed with the view taken by him, that Coondapur Panchayat may be assigned the 95th rank (i.e.) below Udipi for a scheme of water supply in the list 'A' under Appendix III to the Compendium of Provincial requirements for water supply and drainage issued in G.O.55 dated 7-1-1946.

for Chief Engineer for Irrigation.

Copy to the Sanitary Engineer to Government, Chepauk, Madras.
Copy to the Chief Engineer, General, with ref. to C.E.'s Gl. U.O.No.4254 P.W.W./50-1 dated 9-6-50.
Copy to the Superintending Engineer, Coimbatore Circle.

HEALTH DEPT.(W3)

Read Govt. Memo No.92990-A/49-1 H1:P.H. dated 29-11-49
From the C.E., P.W.D., L.No.5390/47-B-18, dt. 9-8-50.

Sub: Water Supply - Coondapur Panchayat (South Kanara District) - Inclusion in the compendium - Orders passed.

ORDER (MS) NO. 3024 HEALTH, Dt. 29.8.50

Coondapur Panchayat in South Kanara District is not included in the compendium of water supply requirements of the State approved in G.O.55, P.H. dated 7-1-46 as its population as per 1941 census was less than 10,000. The population of the Panchayat has since exceeded the population limit fixed for the schemes to be included in the Rural Water supply scheme. The Govt. therefore direct that the Coondapur Panchayat in South Kanara Dt. be included in the compendium approved in G.O.No.55 P.H. dated 7-1-46 and be assigned the rank of 94 for water supply in the place of Udipi.

To
The C.E.,P.W.D.
The D.P.H.
The Bd. of Revenue.
The I.L.B.
The E.O., Pt.Bd.,Coondapur, S.Kanara Dt.
(thro' the Pt.P.Bd).
s/c.

NOTE:

The Water supply scheme of Coondapur Panchayat in South Kanara District has not been included in the compendium approved in G.O.55, P.H. dated 7-1-46 as its population was below 10,000 (i.e.) 9383. The present population of the Panchayat is stated to be 15,844 and it has been proposed to include the Water supply scheme of the Panchayat in the compendium. The C.E.was asked to suggest a suitable rank for the Panchayat in consultation with the Sanitary Engineer and the D.P.H.

--2--

The C.E. has since suggested that the Pancnayat may be assigned the 95th rank (i.e.), below Udipi" in the compendium. It may be noted that 95 rank has been assigned to Feroke, a village in Malabar District. The compendium will hold good only for Panchayats and not to municipalities as the priority list drawn up by the W.S.& D. Committee has been accepted in the case of Municipalities. In the circumstances, the 94th place allotted to Udipi Mty. which is vacant now ~~and it~~ may be assigned to Coondapur Pancnayat. Subject to orders the draft order above is for approval.

The case may be circulated to H.M.(Health).

24.8.50

24-8-50

27/8/50

HM(H) 27/8/50

SECRETARY 26 AUG 1950 HEALTH DEPARTMENT